


AHWAL-1/90
SPIKE LIGHT

divinity lights



Quick Info

CRI ≥ 80

2700K, 3000K, 4000K

Non-Dimmable/ Dali-Dimmable

SDCM<3

Lens with Clear Glass / Honeycomb


L70 @50,000h

Aluminium Die-Cast

Type

Spike mounted


Single Line Diagram



AHWAL-1/90 SPIKE LIGHT


Ahwal-1/90 spike light:

- Luminaire housing of Die-Cast Aluminium
- 10°/26°/36°/50°/60° beam options for all applications
- IP65, High Ingress Protection against dust & moisture
- The built quality ensures long and maintenance free service life
- High lumen light for landscape applications
- Powerful and precise optics
- Energy-efficient LED with high colour rendering



CRI ≥ 80

AHWAL-1 SPIKE LIGHT



System Power	Dimensions
30W	Dia= 90.4mm, Width with visor= 154mm Height with Spike= 183mm

Order Options

CCT (Color Temperature)

- 2700K
- 3000K
- 4000K

CRI

- >80

Beam Angle

- 10°
- 26°
- 36°
- 50°
- 60°

Control

- Non-Dimmable
- Dali- Dimmable



Mounting Type

- Spike Mounted

Material Color

- RAL as per request