

ALCON

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM ≤ 3

Lens & Honeycomb

L70 @50,000h

Aluminium Die-cast


Types

Recessed


Single Line Diagram

Recessed


ALCON 3




ALCON 4



ALCON 6



ALCON 9



ALCON

Alcon fixture has :

- Luminaire housing of die-cast- aluminium
- Recessed spotlight with effortless installation
- Premium powder coated finish
- Honeycomb reflector
- SMD (Surface Mount Device) technology
- Zero multiple shadows
- LED with effective colour rendering
- Overflowing colours with soft light and shadow
- Interpretation of the real environment light and colours
- High colour rendering

Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

ALCON



ALCON 3

Product Order Code	System Power	Dimension
4018-       1	5W	Outer LXW = 72x32mm, Cutout LXW = 64x24mm H = 46mm

ALCON 4

Product Order Code	System Power	Dimension
4018-       2	7W	Outer LXW = 52x52mm, Cutout LXW = 44x44mm, H = 41.50mm

ALCON 6

Product Order Code	System Power	Dimension
4018-       3	8W	Outer LXW = 106x30mm, Cutout LXW = 100x24mm, H = 40mm

ALCON 9

Product Order Code	System Power	Dimension
4018-       4	12W	Outer LXW = 69x69mm, Cutout LXW = 62x62mm, H = 40mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1

Beam Angle	
15°	1
30°	2
45°	3

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type

Recessed

Accessories

Product Order Code	Accessories Name	Accessories Image
4018-01 	LED	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1