

AMITY-4156
INGROUND LIGHT

divinity lights





Quick Info

CRI ≥ 80

2700K, 3000K, 4000K

Non-Dimmable/ Dali-Dimmable

SDCM<3

Clear Tempered Glass with

Honeycomb accessories



L70 @50,000h

Aluminium Die-Cast

Type

Burial


Single Line Diagram



AMITY-4156


AMITY-4156 Inground Light has:

- Luminaire housing of Die-Cast Aluminium
- IP67, High Ingress Protection against dust & moisture
- Ideal heat dissipation with good quality heat sink
- COB (Chip on Board) technology with Honeycomb accessories
- Burial mounting
- Uniform distribution of light in the outdoor environment
- High quality toughened glass to ensure the safety of the fixture



CRI ≥ 80

AMITY-4156



System Power	Dimensions
10W	L= 330mm, Width- 41mm Width with Trim= 56mm, Height- 56mm
20W	L= 660mm, Width- 41mm Width with Trim= 56mm, Height- 56mm
30W	L= 1000mm, Width- 41mm Width with Trim= 56mm, Height- 56mm

Order Options

CCT (Color Temperature)

2700K
3000K
4000K

CRI

>80

Beam Angle

5°
10°
15°
20°
25°
30°
45°
60°
10X20°
10X30°
10X45°
10X60°
25ASY10°

Control

Non-Dimmable
Dali- Dimmable



Mounting Type

Burial

Material Color

RAL as per request