

AMITY-5733
INGROUND LIGHT

divinity lights





Quick Info

CRI $\geq$ 80

2700K, 3000K, 4000K

Non-Dimmable/ Dali-Dimmable

SDCM<3

Clear Tempered Glass with




Honeycomb accessories

L70 @50,000h

Aluminium Die-Cast

Type


Single Line Diagram



AMITY-5733


AMITY-5733 Inground Light has:

- Luminaire housing of Die-Cast Aluminium
- IP67, High Ingress Protection against dust & moisture
- Ideal heat dissipation with good quality heat sink
- COB (Chip on Board) technology with Honeycomb accessories
- Burial mounting
- Uniform distribution of light in the outdoor environment
- High quality toughened glass to ensure the safety of the fixture



CRI $\geq$ 80

AMITY-5733



System Power	Dimensions
24W/mtr	L= 330mm, Width with Trim= 59mm, H- 33mm

Order Options

CCT (Color Temperature)

- 2700K
- 3000K
- 4000K

CRI

- >80

Beam Angle

- 5°
- 10°
- 15°
- 20°
- 25°
- 30°
- 45°
- 60°
- 10X20°
- 10X30°
- 10X45°
- 10X60°
- 25ASY10°

Control

- Non-Dimmable
- Dali- Dimmable



Mounting Type

- Burial

Material Color

- RAL as per request