


ARYA TRIMLESS



Quick Info


CRI ≥ 90
3000K/ 4000K/ 5700K
ON-OFF/ON-OFF (FLICKER FREE)
DALI-2 DT6, DALI-2 DT8, DALI+
SDCM<3
Lens & Dark Reflector
L70 @50,000h

Types


Recessed

Single Line Diagram


Arya-2




Arya-3




Arya TL- 4



Arya TL- 6



Arya TL- 9



Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

ARYA TRIMLESS

ARYA Trimless features has:

- Luminaire housing of die-cast- aluminium
- Recessed spotlight with effortless installation
- Premium powder coated finish
- Honeycomb reflector
- SMD (Surface Mount Trimless) technology
- Zero multiple shadows
- LED with effective colour rendering
- Overflowing colours with soft light and shadow
- Interpretation of the real environment light and colours
- High colour rendering

ARYA TRIMLESS



ARYA TRIMLESS 2

System Power	Dimension
3W	Outer LXW- 50X30mm Cutout LXW- 43X24mm Height- 46mm

ARYA TRIMLESS 3

System Power	Dimension
5W	Outer LXW- 60X30mm Cutout LXW- 53X24mm Height- 40mm

ARYA TRIMLESS 4

System Power	Dimension
7W	Outer LXW- 50X50mm Cutout LXW- 43X43mm Height- 40mm

ARYA TRIMLESS 6

System Power	Dimension
8W	Outer LXW- 106X30mm Cutout LXW-100X24mm Height- 40mm

ARYA TRIMLESS 9

System Power	Dimension
12W	Outer LXW- 69X69mm Cutout LXW- 62X62mm Height- 40mm

Order Options

CCT (Colour Temperature)

- 3000K
- 4000K
- 5700K
- Tunable White 2700K-6500K



CRI

- >90

Beam Angle

- 15°
- 30°
- 45°

Control

- ON-OFF
- ON-OFF (FLICKER FREE)
- DALI-2 DT6
- DALI-2 DT8
- DALI+



Mounting

- Recessed

Material Colour

- RAL As Per Request