


AURA RING

divinity lights



Quick Info

CRI ≥90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Acrylic Diffuser


L70 @50,000h

Aluminium

Types

Pendant

Single Line Diagram




AURA RING

Aura Ring fixture has :

- Aluminium luminaire Housing
- Premium Finish Powder coating
- High efficiency acrylic diffuser
- Uniform Inner lit ring of LED light
- Creates a beautiful scenery of lighting
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener

Colours



CRI ≥ 90



TUNABLE
WHITE

AURA RING



AURA RING

Product Order Code	System Power	Dimension
3010-  1	30W	Ø = 600mm, H= 90mm
3010-  2	50W	Ø = 900mm, H= 90mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1

Beam Angle

110°

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2		3
DALI-2 DT8		4
DALI +		5

Mounting Type

Pendant

Material Colour		
Black		1
White		2
Grey		3

Accessories

Product Order Code	Accessories Name	Accessories Image
3010-01 	LED PCB	
3010-02	Suspension Wire	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1