
AVIOR
TRICK LIGHT

divinity lights





divinity lights









AVIOR

Avior Trick light has :

- Luminaire housing of Die-Cast Aluminium
- IP66, High Ingress Protection against dust & moisture
- The light is clear and the spot is uniform and consistent.
- Lens optics for even light distribution
- Gradually bright and gradually dark, monochromatic or colorful, can interact with musicThe narrow beam frame light effectively gives architectural lighting
- effects in residential and commercial buildings
- Can be used for stairs, corridors, guardrails, ancient buildings, windows, walls, etc.

Quick Info

CRI ≥ 80

3000K, 4000K, RGB, RGBW

35 lm/W

Non-Dimmable/ Dali-Dimmable/ DMX

SDCM<3

Acrylic Lens


L70 @50,000h


Aluminium Die-Cast

Types


Surface


Single Line Diagram





Light Dribution





CRI ≥ 80

divinity lights

AVIOR



System Power	Dimensions
8W	L=153mm, W= 80.9mm, H= 102mm
9W	L=153mm, W= 80.9mm, H= 102mm
12W	L=153mm, W= 80.9mm, H= 102mm

Order Options

CCT (Colour Temperature)

3000K

4000K

RGB (In 9W)

RGBW (In 12W)

CRI

>80

Beam Angle

180°

360°

Control

Non-Dimmable

Dali-Dimmable

DMX 512

Mounting Type

Surface

Material Colour

RAL as per request