

BAY-HB-K3
HIGHBAY LIGHT

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens

L70 @50,000h


Aluminium Die Cast

Types


Pendant/ Surface

Single Line Diagram


60W



90W



120W




BAY-HB-K3 LINEAR HIGHBAY LIGHT

BAY-HB-K3 Linear Highbay Light is :

- Perfect replacement for high voltage CFL and HID lamps
- Wide operating voltage
- Suitable for commercial & industrial uses
- Made in an extruded aluminium housing
- Lower power consumption than fluorescent lamps
- No UV radiation
- Wide beam angle of 110°
- Illuminates wider areas
- Used in workshops, factories, shopping malls, hospitals and assembly lines

Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

BAY-HB-K3 LINEAR HIGH BAY LIGHT



BAY-HB-K3 LINEAR HIGHBAY LIGHT

Product Order Code	System Power	Dimensions
9003- 1	60W	L=578mm, W=118mm,H=25mm
9003- 2	90W	L=1150mm, W=118mm,H=25mm
9003- 3	120W	L=1436mm, W=118mm,H=25mm

Order Options

CCT (Colour Temperature)			
3000K		1	
4000K		2	
5700K		3	
Tunable White 2700K-6500K		4	
CRI			
>90		1	
Beam Angle			
30°		1	
60°		2	
90°		3	
ASYMMETRIC 25°		4	
ASYMMETRIC 30°		5	
Control			
ON-OFF		1	
ON-OFF (FLICKER FREE)		2	
DALI-2		3	
DALI-2 DT8		4	
DALI +		5	
Mounting Type			
Pendant		1	
Surface		2	

Accessories

Product Order Code	Accessories Name	Accessories Image
9003-01 	Led	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1