


FLEXION PINSPOT

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Lens & Refelctor

L70 @50,000h

Aluminium Die-cast

For more information visit www.divinitylights.com

Types


Recessed

Single Line Diagram


FLEXION PINSPOT 55



FLEXION PINSPOT 65



FLEXION PINSPOT 75




FLEXION PINSPOT

Flexion fixture has :

- Die cast- aluminium Luminaire housing
- Premium powder coated finish
- COB (Chip on Board) technology
- Available in Adjustable & Fixed version
- LED with effective colour rendering
- Precision-engineered, electroplated and nano-plated reflector
- Reflector cover available in 6 colours
- Zero multiple shadows
- Unique pull ring design
- 4-way tiltable angle adjustment
- Rotation of 355° and horizontal revolution

Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

FLEXION PINSPOT



FLEXION 50 PINSPOT

Product Order Code	System Power	Dimension
4002-  1	6W	Outer Dia = 63mm, Cutout Dia = 55mm, H = 76mm

FLEXION 65 PINSPOT

Product Order Code	System Power	Dimension
4002-  2	10W	Outer Dia = 72mm, Cutout Dia = 65mm, H = 72mm

FLEXION 75 PINSPOT

Product Order Code	System Power	Dimension
4002-  3	12W	Outer Dia = 86mm, Cutout Dia = 74mm, H = 78mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4

CRI	
>90	1

Beam Angle	
12°	1
24°	2
36°	3
50°	4

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type

Recessed

Accessories

Product Order Code	Accessories Name	Accessories Image
4002-01 	COB	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1