


GENISO 30 2x2

divinity lights



Quick Info


CRI ≥ 90
3000K/ 4000K/ 5700K
Tunable White (2700K-6500K)
ON-OFF/ON-OFF (FLICKER FREE)
DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3
Micro Prismatic Diffuser
L70 @ 50,000h
Aluminium

Types

Pendant/ Surface/ Recessed

Single Line Diagram



GENISO 30 2x2

Geniso 30 2x2 fixture has:


- 2 x 2 feet led Panel
- Aluminium Luminaire Housing
- Premium Finish Powder coating
- High performance Prismatic double diffuser
- Glare free & uniform light distribution
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Bottom opening for easy maintenance
- Pendant with cable suspension with quick mounting system

Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE

GENISO 30 2x2



GENISO 30 2x2

Product Order Code	System Power	Dimensions
2001-       1	25W	LXW-595mmX595mm
2001-       2	30W	LXW-595mmX595mm
2001-       3	35W	LXW-595mmX595mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1

Beam Angle

110°

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type	
Pendant	1
Surface	2
Recessed	3

Material Colour		
Black		1
White		2
Grey		3

Accessories

Product Order Code	Accessories Name	Accessories Image
2001-01 	LED PCB	
2001-02	Suspension Wire	
2001-03	PMMA Diffuser	
2001-04	Micro Prismatic Diffuser	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1