


## GLOWNEST XTA TRIMLESS



Quick Info


CRI ≥ 90  
3000K/ 4000K/ 5700K  
ON-OFF/ON-OFF (FLICKER FREE)  
DALI-2 DT6, DALI-2 DT8, DALI+  
SDCM<3  
XTA Reflector  
L70 @50,000h

Types


Recessed

Single Line Diagram


GLOWNEST XTA TL 1




GLOWNEST XTA TL 2




GLOWNEST XTA TL 3





GLOWNEST XTA TL 4



GLOWNEST XTA TL 5



GLOWNEST XTA TL 9



CRI ≥ 90



TUNABLE  
WHITE

415

GLOWNEST XTA TRIMLESS

Glownest XTA Trimless Downlight features has:

- Luminaire housing of die cast aluminium
- Recessed spotlight with effortless installation
- Premium powder coated finish
- Controlled Anti-Glare Reflector
- Technology for maximum efficiency
- Zero multiple shadows
- LED with effective colour rendering
- Overflowing colours with soft light and shadow
- Interpretation of the real environment light and colours
- High colour rendering

GLOWNEST XTA TRIMLESS



GLOWNEST XTA TRIMLESS 1 HEAD

| System Power | Dimension                         |
|--------------|-----------------------------------|
| 2W           | LXW- 33.5X33.5mm,<br>Height- 55mm |

GLOWNEST XTA TRIMLESS 2 HEAD

| System Power | Dimension                        |
|--------------|----------------------------------|
| 4W           | LXW- 63.5X33.5mm<br>Height- 55mm |

GLOWNEST XTA TRIMLESS 3 HEAD

| System Power | Dimension                        |
|--------------|----------------------------------|
| 6W           | LXW- 93.5X33.5mm<br>Height- 55mm |

GLOWNEST XTA TRIMLESS 4 HEAD

| System Power | Dimension                    |
|--------------|------------------------------|
| 6W           | LXW- 70X70mm<br>Height- 55mm |

GLOWNEST XTA TRIMLESS 5 HEAD

| System Power | Dimension                         |
|--------------|-----------------------------------|
| 10W          | LXW- 153.5X33.5mm<br>Height- 55mm |

GLOWNEST XTA TRIMLESS 9 HEAD

| System Power | Dimension                        |
|--------------|----------------------------------|
| 15W          | LXW- 94.5X94.5mm<br>Height- 55mm |

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



CRI

>90

Beam Angle

24°

36°

50°

Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI+



Mounting

Recessed

Material Colour

RAL As Per Request