



JETTA RING

Jetta Ring has:

- · Ring-shaped luminaire
- · Aluminium Housing
- · Premium Finish Powder coating
- High efficiency Micro Prismatic diffuser
- Uninterrupted and uniform ring of LED light
- · Halo of light around the ceiling
- · Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- · Pendant using suspension cable with M6 bolt and fastener
- · Bottom opening for easy maintenance

divinity lights

Quick Info

CRI ≥90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Micro Prismatic Diffuser

L70 @50,000h

Aluminium


Types

Pendant/Surface/Recessed

Single Line Diagram

Pendant/Surface/Recessed





Colours







Light Distribution

Direct Direct-Indirect







CRI ≥ 90



TUNABLE WHITE

divinity lights

JETTA RING











JETTA RING (DIRECT)

| Product Order Code | System Power | Dimension |
|--------------------|--------------|------------|
| 3004-1⊠⊚€) ■ ⊄01 | 35W | Ø = 660mm |
| 3004-1☑◉◐ ■ 2 | 50W | Ø = 900mm |
| 3004-1⊠⊚€) ■ □ 3 | 70W | Ø = 1000mm |
| 3004-1⊠⊚€ ■ □ ○4 | 105W | Ø = 1200mm |

JETTA RING (DIRECT-INDIRECT)

| Product Order Code | System Power | Dimension |
|--------------------|--------------|------------|
| 3004-▼☑◎◐■1○1 | 35W | Ø = 660mm |
| 3004-▼◎●●■1○2 | 50W | Ø = 900mm |
| 3004-▼◎●●■1○3 | 70W | Ø = 1000mm |
| 3004-▼☑◎◐■1○4 | 105W | Ø = 1200mm |

Order Options

| Distribution | | • |
|---------------------------|----------------|---------------------|
| Direct | | 1 |
| Direct-Indirect | | |
| Up-50% / Down-50% | | 2 |
| Up-30% / Down-70% | | 3 |
| Up-70% / Down-30% | | 4 |
| Up-20% / Down-80% | | 5 |
| Up-80% / Down-20% | | 6 |
| CCT (Colour Temperature | :) | 1 |
| 4000K | | 2 |
| 5700K | | 3 |
| Tunable White 2700K-6500K | 2708 6008 | 4 |
| CRI | | • |
| >90 | | 1 |
| Beam Angle | | |
| 110° | | |
| Control | | |
| ON-OFF | Ο̈́ | 1 |
| ON-OFF (FLICKER FREE) | | 2 |
| DALI-2 DT6 | DALL | 3 |
| DALI-2 DT8 | DT8 | 4 |
| DALI + | BALID | 5 |
| Mounting Type | | |
| Pendant | | 1 |
| Surface | | 2 |
| Recessed | | 3 |
| Material Colour | | ं |
| Black | | 1 |
| White | \bigcirc | 2 |
| Grey | | 3 |
| | | |

divinity lights

Accessories

| Product Order Code | Accessories Name | Accessories Image |
|-----------------------|-----------------------|-------------------|
| 3004-01⊠⊚€ | LED PCB | |
| 3004-02 | Suspension Wire | 0 |
| 3004-03 | PMMA Diffuser | |
| 3004-04 | Prismatic Diffuser | |

Order Options

| CCT (Colour Temperature) | |
|---------------------------|---|
| 3000K | 1 |
| 4000K | 2 |
| 5700K | 3 |
| Tunable White 2700K-6500K | 4 |
| CRI | 0 |
| >90 | 1 |