


KYGX BRIGHT HEAD

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Silicon Diffuser

L70 @50,000h


Aluminium Die-cast

Types

Recessed

Single Line Diagram

Profile




KYGX BRIGHT HEAD

KYGX Bright Head fixture has:

- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- High efficiency Lens
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Snap-fit system and no visible screw
- Unique curved design and patterns possible
- Bottom opening for easy maintenance

Colours



CRI ≥ 90



TUNABLE WHITE

KYGX BRIGHT HEAD



KYGX BRIGHT HEAD		
Product Order Code	System Power	Dimension
1020 	12W	LXW=128X32mm, H-31mm

Order Options

Distribution		
Direct		
CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1
Beam Angle		
36°		
Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5
Mounting Type		
Pendant		1
Material Colour		
Black		
White		
Grey		

Accessories

Product Order Code	Accessories Name	Accessories Image
1040-01 	LED PCB	
1040-02	Lens	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1