



divinity lights

LUMINA BLOOM



LUMINA BLOOM
CURVED PENDANT




LUMINA BLOOM
CIRCULAR PENDANT



LUMINA
B L O O M

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable White 2700-6500K

ON-OFF/ ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM<3

Lens

L70 @50,000h


Aluminium

Types


Pendant

Single Line Diagram


Profile



Curve & Circular Profile



Colours



CRI ≥ 90



TUNABLE WHITE

LUMINA BLOOM



LUMINA BLOOM

Product Order Code	System Power	Dimension
1039-     1	7W	L=300mm
1039-     2	14W	L=600mm
1039-     3	21W	L=900mm
1039-     4	28W	L=1200mm
1039-     5	56W	L=2400mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4

CRI	
>90	1

Beam Angle

120°

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type	
Pendant	1

Material Colour	
Black	
White	
Grey	

Accessories

Product Order Code	Accessories Name	Accessories Image
1039-01 	LED PCB	
1039-02	Lens	
1039-03	Suspension Wire	
1039-04	End Cap	

Order Options

CCT (Colour Temperature)		
3000K	1	
4000K	2	
5700K	3	
Tunable White 2700K-6500K	4	
CRI		
>90	1	