

MACTY 28 ROUND



Quick Info

CRI ≥90
3000K/ 4000K/ 5700K
Tunable white (2700K-6500K)
ON-OFF/ON-OFF (FLICKER FREE)
DALI-2 DT6 / DALI-2 DT8/ DALI+
SDCM<3
Lens
L70 @50,000h
Aluminium Die-cast

Type

Surface

Single Line Diagram



MACTY 28 ROUND

Macty 28 Round fixture has:

- Luminaire housing of die cast- aluminium
- Round sleek 28mm dia
- Surface mounted cylindrical COB downlight
- Extruded aluminium housing
- Die casted heat sink
- Efficient COB & reflector for light distribution
- Suitable for retail, hospitality & residential application
- CRI rating to render light more closely to object’s true colours
- Vivid & accurate lighting effect

Light Distribution



CRI ≥ 90



TUNABLE WHITE

MACTY 28 ROUND



MACTY 28 ROUND

System Power	Dimension
3W	Dia- 28mm Height- 150mm

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



CRI

>90

Beam Angle

15°

23°

38°

Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI+



Mounting

Surface

Material Colour

RAL As Per Request