

MACTY 28 SQUARE

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens



L70 @50,000h

Aluminium Die-cast

Types

Pendant/ Surface

Single Line Diagram



MACTY 28 SQUARE

Macty 28 Square has :

- Suspended & surface mounted COB downlight
- Square shaped sleek with 28mm dia.
- Die cast- aluminium Luminaire housing
- Die cast heat sink
- Premium powder coated finish
- COB (Chip on Board) technology
- LED with effective colour rendering
- Efficient COB & reflector for uniform light distribution
- Vivid & accurate lighting effect
- Suitable for retail, hospitality & residential application

Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

MACTY 28 SQUARE



MACTY 28 SQUARE

Product Order Code	System Power	Dimension
4045-                                                                   		

Accessories

Product Order Code	Accessories Name	Accessories Image
4045-01 	COB	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1