


MACTY 28 SQUARE

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens



L70 @50,000h

Aluminium Die-cast

Types

Pendant/ Surface

Single Line Diagram



MACTY 28 SQUARE

Macty 28 Square has :


- Suspended & surface mounted COB downlight
- Square shaped sleek with 28mm dia.
- Die cast- aluminium Luminaire housing
- Die cast heat sink
- Premium powder coated finish
- COB (Chip on Board) technology
- LED with effective colour rendering
- Efficient COB & reflector for uniform light distribution
- Vivid & accurate lighting effect
- Suitable for retail, hospitality & residential application

Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

MACTY 28 SQUARE



MACTY 28 SQUARE

System Power	Dimension
3W	LXW- 28 X 28 mm Height- 150mm

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



CRI

>90

Beam Angle

15°

23°

38°

Control

ON-OFF



ON-OFF (FLICKER FREE)



DALI-2 DT6



DALI-2 DT8



DALI+



Mounting

Recessed

Material Colour

RAL As Per Request