

MACTY 80 ANTIGLARE

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens & Refelctor


L70 @50,000h

Aluminium Die-cast

Types

Pendant/ Surface

Single Line Diagram



MACTY 80 ANTIGLARE

Macty 80 Antiglare has :


- Die cast- aluminium Luminaire housing
- Die cast heat sink
- Premium powder coated finish
- COB (Chip on Board) technology
- LED with effective colour rendering
- Anti-glare downlight
- Source is deep recessed into the fixture
- Efficient COB & reflector for light distribution
- Light appears to pool on a surface below without any discernible source
- Vivid & accurate lighting effect
- Suitable for retail, hospitality & residential application

Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

MACTY 80 ANTIGLARE



MACTY 80 ANTIGLARE

Product Order Code	System Power	Dimension
4041-	10W	Dia = 80mm H = 150mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1

Beam Angle	
15°	1
23°	2
38°	3

Control	
NON-Dimmable	1
DALI-2 DT6	2
DALI-2 DT8	3
DALI +	4

Mounting Type	
Pendant	1
Surface	2

Material Colour	
Black	1
White	2
Grey	3

Accessories

Product Order Code	Accessories Name	Accessories Image
4041-01 	COB	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1