

MAGNETO LINEAR LENS

divinity lights



Quick Info

CRI ≥ 90
3000K/ 4000K/ 5700K
Tunable White (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)
DALI-2 DT6 / DALI-2 DT8 / D4i / DALI +
SDCM<3
Lens & Reflector
L70 @50,000h
Aluminium Die-cast


Types

Track Mounted


Single Line Diagram

Track Mounted

MAGNETO LENS 6



MAGNETO LENS SPOT 12




Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE



MAGNETO LINEAR LENS

Magneto Linear Lens has :

- Die cast- aluminium Luminaire housing
- Premium powder coated finish
- LED with effective colour rendering
- High efficiency lens optics
- Highly durable
- Adjustable lighting
- Lighting components attached to the track by magnetic suction
- Convenient to install and dismantle
- Suitable for 48V Magnetic Surface, recessed Tracks
- Suitable for retail, hospitality & residential application

MAGNETO LINEAR LENS



MAGNETO LINEAR LENS 6

Product Order Code	System Power	Dimension
5010-1	6W	L = 118mm, W = 22mm, H = 44mm

MAGNETO LINEAR LENS 12

Product Order Code	System Power	Dimension
5010-2	12W	L = 220mm, W = 22mm, H = 44mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1

Beam Angle	
12°	1
24°	2
38°	3

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5


Material Colour

Black	
-------	--

Mounting Type

Track Mounted

Accessories

Product Order Code	Accessories Name	Accessories Image
5010-01 	LED	
5010-02	Surface Track Profile	
5010-03	Recessed Track Profile	
5010-04	Short Line Connectors	
5010-05	End Feeds	
5010-06	End Cap	

Order Options

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K 	4
CRI	
>90	1