





MINI FLOOD LIGHT

divinitylights





Quick Info

CRI ≥ 90

2700K, 3000K, 4000K, RGB

Non-Dimmable/ Dali-Dimmable

SDCM<3

Lens


L70 @50,000h

Aluminium Die-Cast

Types

Surface Mounted

Single Line Diagram





MINI FLOOD LIGHT

The Z Ball mini flood light :

- The Z Ball floodlight packs a powerful lumen punch
- Good visual comfort
- Luminaire housing of Die-Cast Aluminium
- IP66, High Ingress Protection against dust & moisture
- Available in various monocolour and RGB options
- Available from 5000 lumens to 10000 lumens
- Energy-efficient LED with high colour rendering
- Extremely robust construction, precise optics and beautiful form factor
- Silicon belt available on order for instalment on trees and plants

Light Distribution



CRI ≥ 90

MINI FLOOD LIGHT



Product Order Code	System Power	Dimensions
1506	10W	Dia=90mm, H=128mm

Order Options

CCT (Colour Temperature)

- 2700K
- 3000K
- 4000K
- RGB

CRI

>90

Beam Angle

- Narrow
- Medium
- Wide

Control

- Non-Dimmable
- Dali-Dimmable



Mounting Type

Surface

Material Colour

- Black
- Grey