


NATALA XL/L-DD
LED POST TOP

divinity lights





NATALA XL/L-DD LED POST TOP LIGHT

The Nataka xl/l-DD led post top light :

- Post top luminaries made out of die-cast aluminum housing
- A decorative crown with six nos. dia-cast aluminum arm are provided to support the housing
- Dia cast aluminum heat sink for proper heat dissipation
- Polycarbonate frosted diffuser for glare-free lighting.
- The fitting are painted with PU paint.
- Die-cast aluminum heat sinks for proper heat dissipation.

Quick Info

CRI ≥ 70

3000K/4000K/5700K

Non-Dimmable/ Dali-Dimmable

SDCM<3

Frosted Diffuser


L70 @50,000h

Aluminium Die-Cast

Type

Pole Mounted

Single Line Diagram



NATALA XL/L-DD LED POST TOP LIGHT



Product order code	System Power	Dimensions
3189	18W	W=290mm H=625mm
3190	25W	W=290mm H=625mm
3191	40W	W=290mm H=625mm
3192	60W	W=290mm H=625mm
3193	75W	W=290mm H=625mm

Product order code	System Power	Dimensions
3194	18W	W=370mm H=700mm
3195	25W	W=370mm H=700mm
3196	40W	W=370mm H=700mm
3197	60W	W=370mm H=700mm
3198	75W	W=370mm H=700mm

Order Options

CCT (Color Temperature)

3000K
4000K
5700K

CRI

>70

Beam Angle

NA

Control

Non-Dimmable
Dali- Dimmable

Mounting Type

Pole Mounted

Material Color

Black
Grey