
NIRVI CURVE LENS
ENCAPSULATE LIGHT







divinity lights



Quick Info

CRI ≥ 80

2700/3000/4000k

70 lm/W

Non-Dimmable/ Dali-Dimmable

SDCM<3

Encapsulated With Lens


L70 @50,000h

Aluminium

Types

Recessed

Single Line Diagram










NIRVI CURVE LENS

Nirvi Curve Lens Encapsulate light has :

- Luminaire housing made of extruded aluminium
- Integrated lens technology provides controlled light distribution and improved beam accuracy.
- Lens design minimizes direct glare, ensuring enhanced visual comfort.
- Delivers consistent and evenly distributed illumination with reduced light spill
- Encapsulation protects LEDs and optics from dust and environmental factors.
- Available in multiple beam distributions to suit different lighting require ments.
- Fully enclosed construction offers a clean, modern appearance and pro tects internal components.
- Uniform illumination



CRI ≥ 80

NIRVI CURVE LENS



System Power	Dimensions
10W/MTR	Width with Trim= 56mm H= 56mm
15W/MTR	Width with Trim= 56mm H= 56mm

Order Options

CCT (Colour Temperature)

2700K

3000K

4000K

CRI

>80

Beam Angle

15°

35°

55°

10X55°

Control

Non Dimmable

Dali Dimmable

Mounting Type

Recessed

Material Colour

RAL as per request