NIRVI EN-1015
ENCAPSULATE LIGHT


divinity lights







divinity lights









NIRVI **EN-1015**

Nirvi En- 1015 Encapsulate light has :

- Luminaire housing made of extruded aluminium
- Delivers seamless, dot-free illumination with high-quality silicone encapsulation.
- Premium aluminum body with high-grade silicone encapsulation for long-last ing performance.
- Delivers consistent and evenly distributed illumination with reduced light spill
- Encapsulation protects LEDs and optics from dust and environmental factors.
- Produces bright, energy-efficient lighting with low power consumption.
- Sealed construction minimizes dust accumulation and reduces maintenance costs.
- Suitable for indoor and outdoor applications
- Uniform illumination

Quick Info

CRI ≥ 80

2700/3000/4000k

80 lm/W

Non-Dimmable/ Dali-Dimmable

SDCM<3

Encapsulated Diffuser


L70 @50,000h


Aluminium

Type

Surface

Single Line Diagram





CRI>80

NIRVI EN-1015



System Power	Dimensions
5w/mtr	W= 10mm, H= 15mm
10w/mtr	W= 10mm, H= 15mm
15w/mtr	W= 10mm, H= 15mm

Order Options

CCT (Colour Temperature)

2400K
2700K
3000K
4000K

CRI

>80

Beam Angle

120^{0}

Control

Non Dimmable

Dali Dimmable

Mounting Type

Surface

Material Colour

RAL as per request