

NIRVI EN-1415
ENCAPSULATE LIGHT

divinity lights













NIRVI **EN-1415**

Vara En-1415 Encapsulate light has :

- Luminaire housing made of extruded aluminium
- Delivers seamless, dot-free illumination with high-quality silicone encapsula tion.
- Premium aluminum body with high-grade silicone encapsulation for long-lasting performance.
- Delivers consistent and evenly distributed illumination with reduced light spill
- Encapsulation protects LEDs and optics from dust and environmental fac tors.
- Produces bright, energy-efficient lighting with low power consumption.
- Sealed construction minimizes dust accumulation and reduces mainte nance costs.
- Suitable for indoor and outdoor applications
- Uniform illumination

divinity lights

Quick Info

CRI ≥ 80

2700/3000/4000k

80 lm/W

Non-Dimmable/ Dali-Dimmable

SDCM<3

Encapsulated Diffuser


L70 @50,000h


Aluminium

Type

Recessed

Single Line Diagram





CRI>80

NIRVI EN- 1415



System Power	Dimensions
5w/mtr	W= 14mm, H=15mm
10w/mtr	W= 14mm, H=15mm
15w/mtr	W= 14mm, H=15mm

Order Options

CCT (Color Temperature)

2700K

3000K

4000K

CRI

>80

Beam Angle

120°

Control

Non-Dimmable

Dali- Dimmable

Mounting Type

Recessed