

# NIRVI EN-2425
ENCAPSULATE LIGHT





divinity lights











# NIRVI **EN-2425**

Nirvi En-2425 Encapsulate light has :

- Luminaire housing made of extruded aluminium
- Delivers seamless, dot-free illumination with high-quality silicone encapsula tion.
- Premium aluminum body with high-grade silicone encapsulation for long-lasting performance.
- Delivers consistent and evenly distributed illumination with reduced light spill
- Encapsulation protects LEDs and optics from dust and environmental fac tors.
- Produces bright, energy-efficient lighting with low power consumption.
- Sealed construction minimizes dust accumulation and reduces mainte nance costs.
- Suitable for indoor and outdoor applications
- Uniform illumination

divinity lights

## Quick Info

CRI ≥ 80

2700/3000/4000k

80 lm/W

Non-Dimmable/ Dali-Dimmable

SDCM<3

Encapsulated Diffuser


L70 @50,000h


Aluminium

## Type

Recessed

## Single Line Diagram



CRI>80

# NIRVI EN-2425




| System Power | Dimensions |
|---|---|
| 5w/mtr | W-24mm, H- 25mm |
| 10w/mtr | W-24mm, H- 25mm |
| 15w/mtr | W-24mm, H- 25mm |

Order Options

CCT (Colour Temperature)

2700K
3000K
4000K

CRI

>80

Beam Angle

120$^{0}$

Control

Non Dimmable

Dali Dimmable

Mounting Type

Recessed

Material Colour

RAL as per request