


P2- 2340
WALL GRAZER

divinity lights














P2-2340 WALL GRAZER

P2-2340 Wall Grazer light has :

- Luminaire housing made of extruded aluminium
- Grazes walls
- Accentuates surface textures better
- Reduces hotspots and dead zones
- Custom engineered
- Precision optics provide a 45° beam
- Accommodates a wide range of wall heights
- Perfect longitudinal glare reduction
- Uniform illumination
- Energy efficient LED with effective colour rendering

divinity lights

Quick Info

CRI ≥ 80

2700K, 3000K, 4000K, RGB, RGBW

70 lm/W

Non-Dimmable/ Dali-Dimmable

DMX Controller

SDCM<3

Lens With Tempered Glass


L70 @50,000h


Aluminium Die-Cast

Types

Surface

Single Line Diagram





CRI ≥ 80

P2-2340 WALL GRAZER



System Power	Dimensions
10W/m	L= 1000mm, W= 22.7mm, H= 23.5mm
15W/m	L= 1000mm, W= 22.7mm, H= 23.5mm
20W/m	L= 1000mm, W= 22.7mm, H= 23.5mm

Order Options

CCT (Colour Temperature)

2700K

3000K

4000K

RGB

RGBW

CRI

>80

Beam Angle

45°

Control

Non Dimmable

Dali Dimmable

DMX Controller

Mounting Type

Wall Surface

Material Colour

RAL as per request