


SERA DOWNLIGHTER

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens & Refelctor



L70 @50,000h

Aluminium Die-cast

Types

Recessed

Single Line Diagram




SERA DOWNLIGHTER

Sera Downlighter fixture has :

- Die cast- aluminium Luminaire housing
- Premium powder coated finish
- COB (Chip on Board) technology
- Available in Adjustable & Fixed version
- LED with effective colour rendering
- Quick replacement module to adapt to multiple scenes
- Press-to-remove functionality
- Multi-directional and multiple swing angles
- Maximum angle of 55° wide beam angle
- Embedded design with fast installation
- Convenient maintenance
- Innovative high-efficiency black light mirror

Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

SERA DOWNLIGHTER



SERA DOWNLIGHTER

Product Order Code	System Power	Dimension
4011-     1	12W	Outer Dia = 86mm, Cutout Dia = 75mm, H = 80mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4



CRI	
>90	1

Beam Angle	
15°	1
24°	2
36°	3
55°	4

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type

Recessed

Accessories

Product Order Code	Accessories Name	Accessories Image
4011-01 	COB	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1