

SHINE DALI DIMABLE RGB STRIP











SHINE DALI DIMABLE RGB STRIP

This strip light features:

- Dot-free linear lighting performance when assembled into the profile kit, with a high density of 120LED/M [36LED/ft.] design.
- LED Type SMD2835 RGB 3in1.
- PCB width fits the most general aluminum profile

divinity lights

Quick Info

CRI ≥90

RGB, RGBWW, RGBCCT


DALI-2 DT6/ DALI-2 DT8

SDCM<3

L70 @50,000h

Types

Surface



CRI ≥ 90



TUNABLE WHITE

SHINE DALI DIMABLE RGB STRIP



SHINE DALI DIMABLE RGB STRIP

System Power	Dimension	
12W/ MTR	144LED/ MTR	RGB
12W/ MTR	60LED/ MTR	RGB
14W/ MTR	72LED/ MTR	RGB
15W/ MTR	60LED/ MTR	RGB WW 4 in 1 LED
18W/ MTR	96LED/ MTR	RGB WW 4 in 1 LED
18W/ MTR	72LED/ MTR	RGB WW
20W/ MTR	60LED/ MTR	RGB CCT 5 in 1 LED
24W/ MTR	46LED/ MTR	RGB CCT

divinity lights

Order Options

CCT (Colour Temperature)

RGB

RGBWW

RGBCCT

CRI

>90

Beam Angle

120^0

Control

DALI-2 DT6

DALI-2 DT8

VOLTAGE

24V DC

Mounting

Surface