SHINE FLEXIBLE WALL WASHER STRIP 0.2











SHINE FLEXIBLE WALL WASHER 0.2

This strip light features:

- Original innovation and patent design with the title of Protech.
- Dual-bend flexible strip available in both top-bend and side-bend, perfectly fixing for many plane, curved and complex irregular structures.
- Optimized performance with softer bending and twisting, smaller size, lighter weight, and versatile features compared with rigid wall washer.
- Optional optic PMMA lens with multiple beam angles for different kinds of project.
- Excellent brightness and color consistency.
- Convenient installation with complete accessories of clip, bracket, aluminum channel, bendable bracket, outdoor exclusive kit and rotatable bracket.

Quick Info

CRI ≥90

WW NW, CCT, RGB

DALI-2 DT6/ DALI-2 DT8 / DMX CONTROL

SDCM<3

L70 @50,000h

Types

Surface



CRI ≥ 90



TUNABLE WHITE

SHINE FLEXIBLE WALL WASHER STRIP 0.2



SHINE FLEXIBLE WALL WASHER STRIP 0.2

System Power	Dimension	
18W/MTR	22MM x 12MM	WW NW
18W/MTR	22MM x 12MM	CCT
18W/MTR	22MM x 12MM	RGB DMX
16W/MTR	16MM WIDTH	NW
18W/MTR	16MM WIDTH	WW NW
24W/MTR	25MM X 20MM	WW NW

divinity lights

Order Options

CCT (Colour Temperature)

WW NW

CCT

RGB

CRI

>90

Beam Angle

24^{0}

Control

DALI-2 DT6

DALI-2 DT8

DMX CONTROL

VOLTAGE

24V DC

Mounting

Surface