



# divinity lights

#### **Quick Info**

CRI ≥ 90 1800K-3000K 2700K- 6500K DALI-2 DT8 SDCM<3 L70 @50,000h

**Types**Surface








## SHINE TUNABLE STRIP

This strip light features has:

- Creates a wash of ambient and vertical illumination between the wall & ceiling plane
- · For use in offices, hallways, conference rooms, medical facilities, etc.
- Uniform illumination
- Energy efficient LED
- · Effective colour rendering
- Unique straight-line style (LED Profile)
- · LED Profiles made of aluminium to add a premium look







TUNABLE WHITE

# divinitylights

### **SHINE TUNABLE STRIP**











### SHINE TUNABLE STRIP

| Product Order Code | System Power | Dimension |  |
|--------------------|--------------|-----------|--|
| 7002- ● ■1         | 14W          | 240 LED   |  |
| 7002-              | 14W          | 240 LED   |  |

| Order Options       |        |     |   |
|---------------------|--------|-----|---|
| CCT (Colour Temper  | ature) |     |   |
| Tunable 1800K-3000K |        |     | 1 |
| Tunable 2700K-6500K |        |     | 2 |
| CRI                 |        |     | • |
| >90                 |        |     | 1 |
| Beam Angle          |        |     |   |
| 120°                |        |     |   |
| Control             |        |     |   |
| DALI-2 DT8          |        | DT8 | 1 |
| VOLTAGE             |        |     |   |
| 24V DC              |        |     |   |
| Mounting            |        |     |   |
| Surface             |        |     |   |

