

**STARRY SKY
DOWNLIGHTER**

divinity lights



Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable white (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI+

SDCM <3

Lens & Refelctor

L70 @50,000h


Aluminium Die-cast

Types


Recessed

Single Line Diagram

STARRY SKY 30



STARRY SKY 40




STARRY SKY DOWNLIGHTER

Starry Sky Downlighter has:

- Die cast- aluminium Luminaire housing
- Premium powder coated finish
- Finned heat sink to dissipate heat and increase performance
- Available in Adjustable & Fixed version
- COB (Chip on Board) technology
- LED with effective colour rendering
- Zero multiple shadows
- Reflective cover
- Lets objects show their original colours with soft light and shadow
- Interpretation of the real environment light
- Effortless installation

Light Distribution

Direct



CRI ≥ 90



TUNABLE
WHITE

STARRY SKY DOWNLIGHTER



STARRY SKY 30

Product Order Code	System Power	Dimension
4006- 1	8W	Outer Dia = 43.5mm, Cutout Dia = 36.5mm, H = 52.9mm

STARRY SKY 40

Product Order Code	System Power	Dimension
4006- 2	12W	Outer Dia = 51.5mm, Cutout Dia = 45mm, H = 56.5mm

Order Options

Distribution

Direct

CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4

CRI	
>90	1

Beam Angle	
12°	1
24°	2
38°	3
55°	4

Control		
ON-OFF		1
ON-OFF (FLICKER FREE)		2
DALI-2 DT6		3
DALI-2 DT8		4
DALI +		5

Mounting Type

Recessed

Accessories

Product Order Code	Accessories Name	Accessories Image
4006-01 	COB	

Order Options

CCT (Colour Temperature)		
3000K		1
4000K		2
5700K		3
Tunable White 2700K-6500K		4
CRI		
>90		1