



SHINE MET 2X2

divinity lights





SHINE MET 2X2

Shine Met 2 x 2 fixture has:

- 2 x 2 feet LED Panel
- Sheet Metal Luminaire Housing
- Premium Finish Powder coating
- High performance Prismatic double diffuser
- Glare free & uniform light distribution
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Bottom opening for easy maintenance

Quick Info

CRI ≥ 90
3000K/ 4000K/ 5700K
Tunable White (2700K-6500K)
ON-OFF/ON-OFF (FLICKER FREE)
DALI-2 DT6 / DALI-2 DT8/ DALI +



SDCM<3
PMMA Diffuser
Micro Prismatic Diffuser
L70 @ 50,000h
Sheet Metal

Types

Recessed

Single Line Diagram

Recessed




Colours



Light Distribution

Direct



CRI ≥ 90



TUNABLE WHITE

SHINE MET 2X2



SHINE MET 2X2

Product Order Code	System Power	Dimensions
2004-  1	25W	LXW-595mmX595mm H = 70mm
2004-  2	30W	LXW-595mmX595mm H = 70mm
2004-  3	35W	LXW-595mmX595mm H = 70mm

Order Options

Distribution

Direct

CCT (Colour Temperature)

- | | |
|---------------------------|---|
| 3000K | 1 |
| 4000K | 2 |
| 5700K | 3 |
| Tunable White 2700K-6500K | 4 |

CRI

- | | |
|-----|---|
| >90 | 1 |
|-----|---|

Beam Angle

- 110
- ⁰

Control

- | | | |
|-----------------------|---|---|
| ON-OFF |  | 1 |
| ON-OFF (FLICKER FREE) |  | 2 |
| DALI-2 DT6 |  | 3 |
| DALI-2 DT8 |  | 4 |
| DALI + |  | 5 |

Mounting Type

- | | |
|----------|---|
| Recessed | 1 |
|----------|---|

Material Colour

- | | | |
|-------|---|---|
| Black |  | 1 |
| White |  | 2 |
| Grey |  | 3 |

Accessories

Product Order Code	Accessories Name	Accessories Image
2004-01 	LED PCB	
2004-02	Suspension Wire	
2004-03	PMMA Diffuser	
2004-04	Micro Prismatic Diffuser	

Order Options

CCT (Colour Temperature) 	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K 	4
CRI 	
>90	1