







divinity lights

Quick Info

CRI ≥ 90

2700K, 3000K, 4000K, RGBW

Non-Dimmable/ Dali-Dimmable/

DMX Controller

SDCM<3

Lens & Tempered Glass


L70 @50,000h

Aluminium Die-Cast

Types

Surface

Single Line Diagram



THUNDER-2R


Thunder-2R Wall Washer Light has:

- Luminaire housing of Die-cast aluminium
- IP66, High Ingress Protection against dust & moisture
- Different colour options include Monocolour and RGBW
- Beam angle ranges (3°/5°/15°)
- Wall washer fixtures for various high end outdoor lighting projects
- Wall washer light is perfect for landscaping and outdoor applications.
- High quality toughened glass to ensure the safety of the fixture

Light Distribution

Direct





CRI ≥ 90

divinity lights

THUNDER-2R









Product Order Code	System Power	Dimensions
1633	120W	L=1000mm, W=105mm, H=121mm

Order Options

CCT (Colour Temperature)			
2700K			
3000K			
4000K			
RGBW			
	_		
CRI			
>90			

Beam Angle	
3 °	
5°	
15°	
Control	
Non-Dimmable	NON-Dirmable
Dali-Dimmable	DALI
DMX Controller	₽ DMX
Mounting Type	

Mounting Type

Surface

Material Colour

Grey