

**URBANA-48**  
INGROUND LIGHT

divinity lights



### Quick Info

CRI  $\geq 80$

2700K, 3000K, 4000K

Non-Dimmable/ Dali-Dimmable

SDCM<3

Clear Tempered Glass


L70 @50,000h

Stainless Steel

### Type

Burial


### Single Line Diagram



## URBANA-48


Urbana-48 Inground Light has:

- Luminaire housing of Die-Cast Aluminium
- IP67, High Ingress Protection against dust & moisture
- Ideal heat dissipation with good quality heat sink
- COB (Chip on Board) technology
- Beam angle ranges (24°, 30°, 40°, 60°, 24° x 45°)
- Burial mounting
- Uniform distribution of light in the outdoor environment
- High quality toughened glass to ensure the safety of the fixture



CRI  $\geq 80$

URBANA-48



| System Power | Dimensions                                  |
|--------------|---------------------------------------------|
| 3W           | Outer Dia=48mm<br>Cutout Dia=34mm<br>H=44mm |

Order Options

CCT (Color Temperature)

- 2700K
- 3000K
- 4000K

CRI

- >80

Beam Angle

- 24°
- 30°
- 40°
- 60°
- 24\*45°

Control

- Non-Dimmable
- Dali- Dimmable



Mounting Type

- Burial

Material Color

- Stainless Steel