

VITO-DD
DROP DOWN LIGHT

divinity lights





Quick Info

CRI ≥ 70

3000K - 5700K

Non-Dimmable/ Dali-Dimmable

SDCM <3

Frosted Diffuser

L70 @50,000h

Aluminium Die-Cast

Type

Pole Mounted


Single Line Diagram



VITO-DD

The Vito-DD

- Post top luminaires made out of die-cast aluminum housing
- A decorative crown with six nos. dia-cast aluminum arm are provided to support the housing
- Dia cast aluminum heat sink for proper heat dissipation
- Polycarbonate frosted diffuser for glare-free lighting.
- The fitting are painted with PU paint.
- Die-cast aluminum heat sinks for proper heat dissipation.



VITO-DD



Product order code	System Power	Dimensions
3153	40W	W=625mm H=700mm
3154	50W	W=625mm H=700mm
3155	60W	W=625mm H=700mm
3156	75W	W=625mm H=700mm
3157	90W	W=625mm H=700mm
3158	120W	W=625mm H=700mm

Order Options

CCT (Color Temperature)

3000K
4000K
5700K

CRI

>70

Beam Angle

FILL

Control

Non-Dimmable
Dali- Dimmable

Mounting Type

Pole Mounted

Material Color

Black
Grey