


**XTREME 145
PEGGY DUO (XTD)**

divinity lights



divinity lights

Quick Info

CRI $\geq$ 90

3000K/ 4000K/ 5700K

Tunable White (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Lens + Micro Prismatic Diffuser

L70 @ 50,000h


Aluminium

Types

Pendant/ Recessed

Single Line Diagram

Pendant/ Recessed



XTREME 145 PEGGY DUO (XTD)

Xtreme 145 Peggy Duo (XTD) has :


- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- Lens + Prismatic double diffuser
- Glare control with Uniform illumination
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Snap fit system with No visible screw
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Colours



Light Distribution

Direct Direct-Indirect



CRI $\geq$ 90



TUNABLE WHITE

XTREME 145 PEGGY DUO (XTD)



XTREME 145 PEGGY DUO (XTD) (DIRECT)

Product Order Code	System Power	Dimensions
1031-11	18W	L = 600mm
1031-12	35W	L = 1200mm
1031-13	70W	L = 2400mm

XTREME 145 PEGGY DUO (XTD) (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1031-1	25W	L = 600mm
1031-2	50W	L = 1200mm
1031-3	100W	L = 2400mm

Order Options

Distribution	
Direct	1
Direct-Indirect	
Up-50% / Down-50%	2
Up-30% / Down-70%	3
Up-70% / Down-30%	4
Up-20% / Down-80%	5
Up-80% / Down-20%	6
CCT (Colour Temperature)	
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4
CRI	
>90	1
Beam Angle	
24°	1
50°	2
50x50°	3
Control	
ON-OFF	1
ON-OFF (FLICKER FREE)	2
DALI-2 DT6	3
DALI-2 DT8	4
DALI +	5
Mounting Type	
Pendant	1
Recessed	2
Material Colour	
Black	1
White	2
Grey	3

Accessories

Product Order Code	Accessories Name	Accessories Image
1031-01 	LED PCB	
1031-02	Suspension Wire	
1031-03	24° Lens	
1031-04	50° Lens	
1031-05	50°X50° Lens	
1031-06	PMMA Diffuser	
1031-07	Micro Prismatic Diffuser	
1031-08	Profile Connector	
1031-09 	Profile Endcap	

Order Options

CCT (Colour Temperature)		
3000K	1	
4000K	2	
5700K	3	
Tunable White 2700K-6500K	4	
CRI		
>90	1	
Material Colour		
Black	1	
White	2	
Grey	3	