


**XTREME 70
ANTIGLARE**

divinity lights



divinity lights

Quick Info

CRI ≥ 90

3000K/ 4000K/ 5700K

Tunable White 2700K-6500K

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Antiglare Reflector

L70 @ 50,000h




Aluminium

Types

Pendant/ Surface

Single Line Diagram

Pendant/ Surface



XTREME 70 ANTIGLARE

Xtreme 70 Antiglare linear fixture has:


- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- A new concept on Louver Technology with high glare control
- Available in Matt Black, Matt White, Silver & Gun Metal Glossy
- Uniform illumination
- Visual comfort with panache
- Energy efficient LED with high colour rendering
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Colours



Light Distribution

Direct Direct-Indirect



CRI ≥ 90



TUNABLE WHITE

XTREME 70 ANTIGLARE



XTREME 70 ANTIGLARE (DIRECT)

Product Order Code	System Power	Dimensions
1023-1□●●●■▱○1	7W	L = 300mm, W=65mm, H = 73mm
1023-1□●●●■▱○2	14W	L = 600mm, W=65mm, H = 73mm
1023-1□●●●■▱○3	21W	L = 900mm, W=65mm, H = 73mm
1023-1□●●●■▱○4	28W	L = 1200mm, W=65mm, H = 73mm
1023-1□●●●■▱○5	56W	L = 2400mm, W=65mm, H = 73mm




XTREME 70 ANTIGLARE (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1023-▼□●●●■1○1	10W	L = 300mm, W=65mm, H = 73mm
1023-▼□●●●■1○2	20W	L = 600mm, W=65mm, H = 73mm
1023-▼□●●●■1○3	30W	L = 900mm, W=65mm, H = 73mm
1023-▼□●●●■1○4	50W	L = 1200mm, W=65mm, H = 73mm
1023-▼□●●●■1○5	100W	L = 2400mm, W=65mm, H = 73mm

Order Options

Distribution	▼
Direct	1
Direct-Indirect	
Up-50% / Down-50%	2
Up-30% / Down-70%	3
Up-70% / Down-30%	4
Up-20% / Down-80%	5
Up-80% / Down-20%	6
CCT (Colour Temperature)	●
3000K	1
4000K	2
5700K	3
Tunable White 2700K-6500K	4
CRI	●
>90	1
Beam Angle	
110°	
Control	■
ON-OFF	1
ON-OFF (FLICKER FREE)	2
DALI-2 DT6	3
DALI-2 DT8	4
DALI +	5
Mounting Type	▱
Pendant	1
Surface	2
Material Colour	○
Black	1
White	2
Grey	3

Accessories

Product Order Code	Accessories Name	Accessories Image
1023-01 	LED PCB	
1023-02	Suspension Wire	
1023-03	Matt Black Antiglare	
1023-04	Matt White Antiglare	
1023-05	Silver Antiglare	
1023-06	Gun Metal Glossy Antiglare	
1023-07	Profile Connector	
1023-08 	Profile Endcap	

Order Options

CCT (Colour Temperature)

3000K

4000K

5700K

Tunable White 2700K-6500K



1

2

3

4

CRI

>90

1

Material Colour

Black

White

Grey

1

2

3