


**XTREME DUO
PEGGY ANTIGLARE**

divinity lights



divinity lights

Quick Info

CRI $\geq$ 90

3000K/ 4000K/ 5700K

Tunable White (2700K-6500K)

ON-OFF/ON-OFF (FLICKER FREE)

DALI-2 DT6 / DALI-2 DT8/ DALI +

SDCM<3

Antiglare Reflector + Lens

L70 @ 50,000h





Aluminium

Types

Pendant/ Recessed

Single Line Diagram

Pendant/ Recessed



XTREME DUO PEGGY ANTIGLARE

Xtreme Duo Peggy Antiglare has :


- Extruded Aluminium Luminaire Housing
- Premium Finish Powder coating
- A new concept on Louver Technology with high glare control
- Available in Matt Black, Matt White, Silver & Gun Metal Glossy
- Uniform illumination
- Visual comfort with panache
- Energy efficient LED with high colour rendering
- Recessed mounted with tech zone
- LED PCB mounted on insert design with heat sink
- Pendant using suspension cable with M6 bolt and fastener
- Bottom opening for easy maintenance

Colours



Light Distribution

Direct Direct-Indirect



CRI $\geq$ 90



TUNABLE WHITE

XTREME DUO PEGGY ANTIGLARE



XTREME DUO PEGGY ANTIGLARE (DIRECT)

Product Order Code	System Power	Dimensions
1033-1  1	18W	L = 600mm
1033-1  2	35W	L = 1200mm
1033-1  3	70W	L = 2400mm

XTREME DUO PEGGY ANTIGLARE (DIRECT-INDIRECT)

Product Order Code	System Power	Dimensions
1033-▼      101	25W	L = 600mm
1033-▼      102	50W	L = 1200mm
1033-▼      103	100W	L = 2400mm

Order Options

Distribution

- | | |
|------------------------|---|
| Direct | 1 |
| Direct-Indirect | |
| Up-50% / Down-50% | 2 |
| Up-30% / Down-70% | 3 |
| Up-70% / Down-30% | 4 |
| Up-20% / Down-80% | 5 |
| Up-80% / Down-20% | 6 |

CCT (Colour Temperature)

- | | |
|---------------------------|---|
| 3000K | 1 |
| 4000K | 2 |
| 5700K | 3 |
| Tunable White 2700K-6500K | 4 |

CRI

- | | |
|-----|---|
| >90 | 1 |
|-----|---|

Beam Angle

- 110°

Control

- | | | |
|-----------------------|---|---|
| ON-OFF |  | 1 |
| ON-OFF (FLICKER FREE) |  | 2 |
| DALI-2 DT6 |  | 3 |
| DALI-2 DT8 |  | 4 |
| DALI + |  | 5 |





Mounting Type

- | | |
|----------|---|
| Pendant | 1 |
| Recessed | 2 |

Material Colour

- | | | |
|-------|---|---|
| Black |  | 1 |
| White |  | 2 |
| Grey |  | 3 |

Accessories

Product Order Code	Accessories Name	Accessories Image
1033-01 	LED PCB	
1033-02	Suspension Wire	
1033-03	Lens	
1033-04	Matt Black Antiglare	
1033-05	Matt White Antiglare	
1033-06	Silver Antiglare	
1033-07	Gun Metal Glossy Antiglare	
1033-08	Profile Connector	
1033-09 	Profile Endcap	

Order Options

CCT (Colour Temperature)		
3000K	1	
4000K	2	
5700K	3	
Tunable White 2700K-6500K	4	
CRI		
>90	1	
Material Colour		
Black	1	
White	2	
Grey	3	