
# ZOID
# BOLLARD

divinity lights



divinity lights









# ZOID BOLLARD

Zoid Bollard fixture has :

- Luminaire housing of Aluminium
- IP66, High Ingress Protection against dust & moisture
- Flicker free operation for eye protection
- Energy-efficient LED with high colour rendering
- The built quality ensures long and maintenance free service life
- Optimum for every outdoor space including society parks, streets, educational institutes, and pathways
- Garden & pathway luminaires create pleasant light distribution with a high degree of visual comfort
- LED bollard, designed to provide radially symmetric light emission of 360°
- Sustainable LED technology offers durability and optimal light output with low power consumption


## Quick Info


CRI ≥ 80
2700K, 3000K, 4000K
Non-Dimmable/ Dali-Dimmable
SDCM<3
Clear Diffuser
L70 @50,000h
Aluminium Die-Cast

## Type

Surface

## Single Line Diagram




CRI ≥ 80

divinity lights

# ZOID BOLLARD




| System Power | Dimensions |
|---|---|
| 10W | LXW=100mmX100mm<br>H=1000mm |

## Order Options

### CCT (Color Temperature)

2700K

3000K

4000K

### CRI

>80

### Beam Angle

360º

### Control

Non-Dimmable

Dali- Dimmable




### Mounting Type

Surface

### Material Color

RAL Code As Per Request